


Examples of Communication Progress Through Other Short-Term Goals
Long Term Goal: Choice Making with 2 Symbols



away, smile, laugh, reach)

*May be vision limited

Additional References:

Cress, CJ, Andrews, T, & Reynolds, CD (1998) Gestural imitation and contingent parent responses in nonspeaking children with physical impairments. Paper at the International Conference on Infant Studies, Atlanta, GA.

Wetherby, A. M. (1996). Communication assessment with infants and toddlers for early identification and intervention planning. Paper at the AAHEI Regional Conference, Omaha, NE.

Wetherby, AM & Prizant, B. (1995) Communicative and Symbolic Behavior Scales. Applied Symbolix

Wilcox, M. J., Bacon, C. K., & Shannon M. S. (1995). Prelinguistic intervention: Procedures for young children with disabilities. Paper presented at the American Speech-Language and Hearing Association, Orlando, FL.

Yoder, PJ & Warren, SF (1998). Maternal responsivity predicts the prelinguistic communication intervention that facilitates generalized intentional communication. Journal of Speech, and Hearing Research, 41 (5), 1207-1219.

Augmenting Play and Communication for Young Children with Physical Impairments

**Cynthia J. Cress, Ph.D., CCC-SLP
University of Nebraska-Lincoln**

Email: cress1@unl.edu

Presented at SWAAC Conference, Breckenridge, CO, June 2000

ACKNOWLEDGMENTS: Supported in part by research grant #1 K08 DC00102-01A1 from the National Institute on Deafness and Other Communication Disorders (NIDCD), National Institutes of Health.

